

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

The undersigned, Wu qiang < General Manager >
Hereby certifies that the following complete vehicle:

- 0.1. Make (trade name of the manufacturer): **SHANSU**
- 0.2. Type: CP-4
- 0.2.1. Variant: 00
- 0.2.2. Version: 0
- 0.2.3. Type: Commercial name (if available): electric scooter
- 0.3. Category, subcategory and sub-subcategory of vehicle: L1e-B
- 0.4. Company name and address of manufacturer:
ZHEJIANG YIXING INDUSTRY AND TRADE LIMITED
ROOM 2103, 21/F HO KING COMMERCIAL CENTRE NO. 2-16 FA YUAN STREET
MONG KOK, KOWLOON, HONG KONG
- 0.4.2. Name and address of manufacturer's authorized representative (if any): **MINIMOTOS**
SPORT, S.L.C/LA MITJANA 7 - POLIGONO EL BOCH, CREVILLENT, ALICANTE,
SPAIN
- 0.5.1. Location of the manufacturer's statutory plate(s): L, x815, y-110, z165
- 0.5.2. Method of attachment of the manufacturer's statutory plate(s): Riveted
- 0.6. Location of the vehicle identification number: R, x625, y25, z780
1. Vehicle identification number: ☆R36CP4000PA004096☆

conforms in all respects to the type described in EU type-approval (e13*168/2013*01350*00 type-approval number including extension number) issued on (23, 02, 2022 date of issue) and can be permanently registered in Member States having right/left-hand traffic and using metric/imperial units for the speedometer.

Hong Kong, China.

Place



(signature)

10, 06, 2023

Date

General construction characteristics

- 1.3. Number of axles: 2 and wheels: 2
- 1.3.1. Axles with twinned wheels: N.A.
- 1.3.2. Powered axles: R
- 6.2.4. Advanced braking system: ~~ABS / CBS / Both ABS and CBS / None~~

Main dimensions

- 2.2.1. Length: 2100 mm
- 2.2.2. Width: 945 mm
- 2.2.3. Height: 1140 mm
- 2.2.4. Wheelbase: 1540 mm
- 2.2.4.1. Wheelbase sidecar: N.A.
- 2.2.5. Track width:
- 2.2.5.1. Track width front: N.A.
- 2.2.5.2. Track width rear: N.A.
- 2.2.5.3. Track width sidecar: N.A.
- 2.2.10.6. Ground clearance between the axles: N.A.
- 2.2.15. Wheelbase to ground clearance ratio: N.A.
- 2.2.17. Seat height: N.A.

Masses

- 2.1.1. Mass in running order: 61 kg
- 2.1.2. Actual mass: 143 kg
- 2.1.3. Technically permissible maximum laden mass: 173 kg
- 2.1.3.1. Technically permissible maximum mass on front axle: 50 kg
- 2.1.3.2. Technically permissible maximum mass on rear axle: 123 kg
- 2.1.3.3. Technically permissible maximum mass on sidecar axle: N.A.
- 2.1.7. Technically permissible maximum towable mass:
- Braked: N.A. Unbraked: N.A.
- 2.1.7.1. Technically permissible maximum laden mass of the combination: N.A.
- 2.1.7.2. Technically permissible maximum mass at the coupling point: N.A.

Powertrain

- 3.1.1.1. Manufacturer: N.A.
- 3.1.1.2. Engine code (as marked on the engine or other means of identification): N.A.
- 3.2.1.2. Working principle of the combustion engine: ~~internal combustion engine (ICE)/positive ignition/ compression ignition/external combustion engine (ECE)/turbine/compressed air~~ N.A.
- 3.2.1.4.1. Number of cylinders: N.A.
- 3.2.1.4.2. Arrangement of cylinders: ~~LH/V/O/S~~ N.A.
- 3.2.1.5. Engine capacity: N.A.
- 1.9. Maximum net power: N.A.
- 1.10. Ratio maximum net power/mass of the vehicle in running order: N.A.
- 3.2.3.1. Fuel type: N.A.
- 3.2.3.2. Vehicle fuel combination: **mono-fuel/bi-fuel/flex-fuel**
- 3.2.3.2.1. Maximum amount of bio-fuel acceptable in fuel: N.A.

3.1.2.1. Manufacturer: Yongkang Changpao Industry and Trade Co., Ltd.
3.1.2.2. Electronic motor code (as marked on the engine or other means of identification):

SS60V12C 000004096

3.3.3.4. 15/30 minutes power: 3.0 kW at 400min⁻¹

3.1.3.1. Manufacturer:

N.A.

3.1.3.2. Application code (as marked on the engine or other means of identification):

N.A.

3.3.1. Electric vehicle configuration: pure electric/hybrid electric/manpower electric

N.A.

3.3.5.2. Category of hybrid electric vehicle: off-vehicle charging/not off-vehicle charging

N.A.

3.9.2. Maximum assistance factor:

N.A.

Maximum speed

1.8. Maximum speed of vehicle: 45 km/h

3.9.3. Maximum vehicle speed for which the electric motor gives assistance:

N.A.

Drive-train and control

3.5.3.9. Transmission (type):

W

3.5.4. Gear ratios:

N.A.

3.5.4.1. Final drive ratio:

N.A.

3.5.4.2. Overall gear ratio in highest gear:

N.A.

Installation of tyres

6.18.1.1. Tyre size designation:

Axle 1: 130/60-13 M/C 60 K 3.50X13 280 kPa

Axle 2: 215/40-12 56 J 7.50X12 250 kPa

Sidecar wheel: N.A.

Bodywork

6.20.2.1. Door configuration and number of doors:

N.A.

6.16.1. Number of seating position:

1

6.16.1.1. Location and arrangement:

N.A.

Coupling devices

7.2.8. Type-approval number of coupling-device : N.A.

Environmental performance

4.0.1. Environmental step: Euro 5

4.0.6. Sound level measured according to: N.A.

4.0.6.1. Stationary: N.A. at engine speed: N.A.

4.0.6.2. Drive-by: N.A.

4.0.6.3. Limit value for Urban: N.A.

3.2.15. Exhaust emissions measured according to Regulation (EU) No 134/2014 including all amendments up to (EU) 2018/295

3.2.15.1. Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:

CO: N.A.

THC: N.A.

NMHC: N.A.

NO_x: N.A.

THC+NO_x: N.A.

PM: N.A.

3.2.15.2. Type II test: tailpipe emissions at (increased) idle and free acceleration:

HC: N.A.

CO: N.A.

3.2.15.3. Smoke corrected absorption coefficient: N.A.

Energy efficiency

4.0.2. Fuel consumption: N.A.

4.0.3. CO₂ emissions: N.A.

4.0.4. Energy consumption: 26 Wh/km

4.0.5. Electric range: 61 km

Conversion of the performance of the vehicle:

8.1. Vehicle appropriate for converting its performance level between subcategories (L3e/L4e)-A2 and (L3e/L4e)-A3 and vice versa: yes/no N.A.

Additional information:

9.1. Remarks: N.A.

9.2. Exemptions: N.A.