

# COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

The undersigned, Mr: Sun Wenchao, Director  
Hereby certifies that the following complete vehicle:

0.1. Make (trade name of the manufacturer): ANAIG

0.2. Type: ANJ3000GY

(CV \* Type): N.A.

0.2.1. Variant: 00

(CV \* Variant): N.A.

0.2.2. Version: 00

(CV \* Version): N.A.

0.2.3. Commercial name (if available):

(CV \* Commercial name (if available)): N.A.

0.3.

Category, subcategory and sub-subcategory of vehicle: L2e-U  
(CV \* Category, subcategory and sub-subcategory of vehicle): N.A.

0.4.

Company name and address of manufacturer:  
ANAIG (UK) TECHNOLOGY CO., LTD  
CHASE BUSINESS CENTRE 39-41 CHASE SIDE LONDON UNITED KINGDOM N14 5BP

0.4.2.

Name and address of manufacturer's authorized representative (if any): N.A.

0.5.1.

Location of the manufacturer's statutory plate(s): L, x1090, y310, z350

0.5.2.

Method of attachment of the manufacturer's statutory plate(s): Riveted

0.6.

Location of the vehicle identification number: R, x384, y3, z431

1.

Vehicle identification number:

★SKLAED1C6N1C30390★

conforms in all respects to the type described in EU type-approval e9\*1682013\*11205\*02 (type-approval number including extension number) (CV\* type-approval number including extension number) issued on 30/12/2020 (date of issue) (CV\* date of issue) and

can be permanently registered in Member States having right/left-hand traffic and using metric/imperial units for the speedometer.

LONDON, UNITED KINGDOM

(place)

May 13, 2022

(date)

(signature)

GDB-Eingabe am 13.08.22 durchgeführt  
Amt der Steiermärkischen Landesregierung

## General construction characteristics

1.3. Number of axles: 2 and wheels: 3  
1.3.1. Axles with twinned wheels: N.A.  
1.3.2. Powered axles: R  
6.2.4. Advanced braking system: ABS-/CBS-/Both ABS and CBS-/None: None

## Main dimensions

2.2.1. Length: 2800 mm  
2.2.2. Width: 1150 mm  
2.2.3. Height: 1600 mm  
2.2.4. Wheelbase: 1960 mm  
2.2.4.1. Wheelbase sidecar: N.A.  
2.2.5. Track width  
2.2.5.1. Track width front: N.A.  
2.2.5.2. Track width rear: N.A.  
2.2.5.3. Track width sidecar: N.A.  
2.2.10.6. Ground clearance between the axles: N.A.  
2.2.15. Wheelbase to ground clearance ratio: N.A.  
2.2.17. Seat height: N.A.

## Masses

2.1.1. Mass in running order: 256 kg  
2.1.2. Actual mass: 412 kg  
2.1.3. Technically permissible maximum laden mass: 662 kg  
2.1.3.1. Technically permissible maximum mass on front axle: 200 kg  
2.1.3.2. Technically permissible maximum mass on rear axle: 462 kg  
2.1.3.3. Technically permissible maximum mass on sidecar axle: N.A.  
2.1.7. Technically permissible maximum towable mass:  
Braked: N.A. Unbraked: N.A.  
2.1.7.1. Technically permissible maximum laden mass of the combination: N.A.  
2.1.7.2. Technically permissible maximum mass at the coupling point: N.A.

## Powertrain

3.1.1.1. Manufacturer: N.A.  
3.1.1.2. Engine code (as marked on the engine or other means of identification): N.A.  
3.2.1.2. Working principle of the combustion engine: internal combustion engine (ICE)/positive-ignition/  
compression-ignition/external combustion engine (ECE)/turbo/compressed air N.A.  
3.2.1.4.1. Number of cylinders: N.A.  
3.2.1.4.2. Arrangement of cylinders: H/V/O/S N.A.  
3.2.1.5. Engine capacity: N.A.  
1.9. Maximum net power:  
N.A. (CV\*: N.A.)  
1.10. Ratio maximum net power/mass of the vehicle in running order:  
N.A. (CV\*: N.A.)  
3.2.3.1. Fuel type: N.A.  
3.2.3.2. Vehicle fuel combination: mono-fuel/bi-fuel/flex-fuel  
3.2.3.2.1. Maximum amount of bio-fuel acceptable in fuel: N.A.

3.1.2.1. Manufacturer: Shanghai Edrive Co., Ltd.  
3.1.2.2. Electric motor code (as marked on the engine or other means of identification):

EM-30-72-18N/ CED1903A03CC100007

3.3.3.4. 45/30 minutes power: 3.0 kW  
3.1.3.1. Manufacturer: N.A.

3.1.3.2. Application code (as marked on the engine or other means of identification): N.A.

3.3.1. Electric vehicle configuration: pure electric/hybrid electric/manpower—electric

3.3.5.2. Category of hybrid electric vehicle: off-vehicle-charging/net-off-vehicle-charging

3.9.2. Maximum assistance factor: N.A.

#### Maximum speed

1.8. Maximum speed of vehicle: 45 km/h (CV\*: N.A.)

3.9.3. Maximum vehicle speed for which the electric motor gives assistance: N.A.

#### Drive-train and control

3.5.3.9. Transmission (type): O

3.5.4. Gear ratios: 10.307:1

3.5.4.1. Final drive ratio: N.A.

3.5.4.2. Overall gear ratio in highest gear: N.A.

#### Installation of tyres

6.18.1.1. Tyre size designation:

Axle 1: 130/60-13 (53J)

Minimum Load capacity index:

Axle 1: 52

Minimum speed category symbol:

Axle 1: B

Recommended pressure:

Axle 1: 225kPa

Rim size:

Axle 1: MT3.5x13

Sidecar wheel: N.A.

#### Bodywork

6.20.2.1. Door configuration and number of doors:

6.16.1. Number of seating positions:

6.16.1.1. Location and arrangement:

#### Coupling devices

7.2.8. Type-approval number of coupling-device:

#### Environmental performance

4.0.1. Environmental step: Euro 5 (3/4/5/5+)

4.0.6. Sound level measured according to: N.A.

4.0.6.1. Stationary: N.A. (CV\*: N.A.) at engine speed: N.A. (CV\*: N.A.)

4.0.6.2. Drive-by: N.A. (CV\*: N.A.)

4.0.6.3. Limit value for  $L_{\text{noise}}$ : N.A. (CV\*: N.A.)

3.2.15. Exhaust emissions measured according to: N.A.

3.2.15.1. Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:

CO: --- ppm at normal idling speed and: --- ppm at high idle speed (CV\*: N.A.)

THC: --- ppm at normal idling speed and: --- ppm at high idle speed (CV\*: N.A.)

NMHC: --- ppm at normal idling speed and: --- ppm at high idle speed (CV\*: N.A.)

NOx: --- ppm at normal idling speed and: --- ppm at high idle speed (CV\*: N.A.)

HC+NOx: --- ppm at normal idling speed and: --- ppm at high idle speed (CV\*: N.A.)

PM: --- mg at normal idling speed and: --- mg at high idle speed (CV\*: N.A.)

3.2.15.2. Type II test: tailpipe emissions at (increased) idle and free acceleration:

HC: --- ppm at normal idling speed and: --- ppm at high idle speed (CV\*: N.A.)

CO: --- % vol at normal idling speed and: --- % vol at high idle speed (CV\*: N.A.)

Smoke corrected absorption coefficient: N.A. (CV\*: N.A.)

#### Energy efficiency

4.0.2. Fuel consumption: N.A. (CV\*: N.A.)

4.0.3. CO<sub>2</sub> emissions: N.A. (CV\*: N.A.)

4.0.4. Energy consumption: 77 Wh/km (CV\*: N.A.)

4.0.5. Electric range: 55 km (CV\*: N.A.)

#### Conversion of the performance of the vehicle:

8.1. Vehicle appropriate for converting its performance level between subcategories (L3e/L4e)-A2 and (L3e/L4e)-A3 and vice versa: yes/no

#### Additional information:

9.1. Remarks: N.A.

9.2. Exemptions: N.A.

N.A.

1

ri:IC

N.A.