

Frame colour

tundra grey matt*; warm silver matt*

Suspension fork

SR Suntour Mobie 34, Air, tapered, 100mm; Fox Float Rhythm, Air, 140mm, Boost*; SR Suntour Aion 35, Air, tapered, 140mm, Boost*

Rear shock

Suntour RS-19 190x40; Fox Float DPS Performance 210x50*; Suntour RS-19 210x50*

Headset

Acros Integration X, block lock

Seatpost

Satori Trident; Dropper Post X-Fusion Manic 100*

Tires

Schwalbe Super Moto-X 62-584 Reflex; Schwalbe Johnny Watts 60-584*

Tubes

Schwalbe AV21

Rims

Rodi Tryp35 27,5"

Spokes

Sapim Leader 2,0 mm, Inox, black

Front hub

Novatec Disc 32H; Novatec Boost, QR, 32H*

Rear hub

Novatec Boost, QR, 36H

Battery

Bosch PowerTube 500 Vertical, 36 V, 13,4 Ah/500Wh; Bosch PowerTube 625 Vertical, 36 V, 16,7 Ah/625Wh

Motor

Performance Line Speed (Gen4)

Display

Bosch Intuvia; Bosch Kiox*; Bosch Nyon*; Bosch SmartphoneHub*

Crankset

Riese & Müller, 170mm

Chain ring

48T

Chain guard

Chain guard

Chain

KMC X11

Cassette

Shimano CUES CS-LG700-11,11-50

Saddle

Selle Royal New Lookin Male Eco; FIZIK Monte MG*; Selle Royal New Lookin Female Eco*

Pedals

VP R&M Custom

Shifting system

Shimano XT 11-S Linkglide

Shifter

Shimano XT 11-S Linkglide

Handlebar

Humpert ergotec Ergo XXL, 31,8 mm*; Humpert ergotec Trekking, 31,8 mm, Alu*; Satori R&M Custom Komfort, 25,4 mm, Alu*; Satori R&M Custom, 25,4mm, Alu*

Stem

Humpert ergotec Barracuda Evo, 90 mm, 20°; Satori R&M Custom, cable integration, adjustable angle, Alu*

Grips

Ergon ergonomic

Brakes

Magura MT4, disc brake; Magura MT5, disc brake; Magura CMe ABS, disc brake*

Front light

Supernova M99 Mini Pro-45

Tail light

Supernova M99, integrated plate illumination and brake light; Supernova M99, integrated brake light*

Mudguards

SKS A69R; SKS A65R*

Luggage rack

Riese & Müller; pannier holder Riese & Müller*

Rubber

Bibia

Horn

Supernova horn

Kickstand

Pletscher Comp 40 Flex Evo

Lock

Abus Bordo X+ 6000/90cm black

Pump

Beto air suspension fork pump

Mirror

Busch & Müller Cycle Star; Humpert ergotec M-99 E4, CNC*

RX Hardware

RX Chip (für RX Services)*

Frame size [cm]

47 cm*; 51 cm*; 56 cm*